

NOTICE: ANNOUNCEMENT OF AVAILABILITY OF DRAFT WASTEWATER PERMIT

Permit No.: WA-002449-0

Applicant: City of Everett
Public Works Department
3200 Cedar Street
Everett, WA 98201

Facility: Water Pollution Control Facility
4027 4th Street SE
Everett, Snohomish County

The City of Everett has reapplied for a National Pollutant Discharge Elimination System (NPDES) permit in accordance with the provisions of Chapter 90.48 Revised Code of Washington (RCW), Chapter 173-220 Washington Administrative Code (WAC), and the Federal Clean Water Act.

The Everett Water Pollution Control Facility currently operates a combined aerated/facultative and trickling filter/solids contract – secondary treatment facility designed to handle an average/maximum daily flow of 36.3 MGD. The wastewater, following treatment, must meet the requirements of the Washington State Water Pollution Control Act and applicable regulations for a permit to be issued. Following evaluation of the application and other available information, a draft permit has been developed which would allow the discharge of treated municipal wastewater from the Everett Water Pollution Control Facility into the Snohomish River, Port Gardner Bay.

A tentative determination has been made on the effluent limitations and special permit conditions that will prevent and control pollution. A final determination will not be made until all timely comments received in response to this notice have been evaluated.

PUBLIC COMMENT AND INFORMATION

The draft permit and fact sheet may be viewed at the Department of Ecology (Department) website: http://www.ecy.wa.gov/programs/wq/permits/northwest_permits.html. The application, fact sheet, proposed permit, and other related documents are also available at the Department's Northwest Regional Office for inspection and copying between the hours of 8:00 am and 4:30 pm weekdays. To obtain a copy or to arrange to view copies at the Northwest Regional Office, please call Sally Perkins at (425) 649-7190, email at sper@ecy.wa.gov

Interested persons are invited to submit written comments regarding the proposed permit. All comments must be submitted within 30 days after publication of this notice to be considered for the final determination. Comments should be sent to:

Washington State Department of Ecology
Northwest Regional Office
3190 - 160th Avenue SE
Bellevue, WA 98008-5452
Attention: Permit Coordinator

Any interested party may request a public hearing on the proposed permit within 30 days of the publication date of this notice. The request for a hearing shall state the interest of the party and the reasons why a hearing is necessary. The request should be sent to the above address. The Department will hold a hearing if it determines that there is significant public interest. If a hearing is to be held, public notice will be published at least 30 days in advance of the hearing date. Please bring this public notice to the attention of persons who you know would be interested in this matter. If you require special accommodations or need this document in a format for the visually impaired, call Tricia Miller at (425)649-7201. Persons with hearing loss can call 711 for Washington Relay Service. Persons with a speech disability can call 877-833-6341.

Date of Publication: July 26, 2009 (Public Notice of Draft)